

AQUATRANS

WATER BOWSERS PERFECTLY
ADAPTED TO YOUR ANIMALS










JOSIKIN.

AQUATRANS

- > 2" 1/2 rear ball valve
- > Jack stand
- > Baffles in accordance with European standards
- > Mudguards
- > Rear or side bumpers

- > Drinking trough for 1 animal
- > 2" 1/2 dosable scatterer
- > 1/4-turn **valve** (2" 1/2)
- > Side marker lights
- > Space for registration plate with lighting

- > Hydraulic brakes
- > Air brakes
- > Hydraulic and air brakes



Rigid drawbar

Wide choice of eyelets

- (A) Welded Ø 50 mm flat eye (standard)
- (B) Scharmüller Ø 40 mm flat eye (option)
- (C) JOSKIN Ø 80 mm knee-joint eyelet (option)
- (D) Joskin Ø 50 mm swivel eye (option)



Steps (for access to Ø 450 mm door with water filling hose).





Protected **level indicator**, out of reach of animals.



Ø 450 mm **lid** with quick opening and seal.



Delivered as an unassembled kit to reduce transport costs and size.






70 I drinking trough with constant level with 1" valve (for closure during transport), in rear or side position.

Hinged rear lights, which can be folded manually to prevent damage by livestock.






(B) 6 m, Ø 60 mm **suction hose** with non-return valve and pit bottom spacer.



Electric drainage pump (12 V) - including gun, counter and 4 m of 1" hose.



AQUATRANS RANGE FROM 1,100 L TO 10,000 L







Rue de Wergifosse, 39 - 4630 Soumagne (Belgium) E-mail: info@joskin.com • Tel.: +32 (0)4 377 35 45

Scan the QR code to find out more about JOSKIN and discover the full range!

